Get Your Child the Right Shots at the Right Time*

Your child will need vaccines (shots) at different times to stay healthy. These shots protect your child from serious diseases. Use the guide below to find out about the shots needed. Your doctor can help you understand what each shot does.

Age	Your child should get these shots	Diseases Prevented	
Birth	☐ Hepatitis B** (Some infants may get their first shot at hirth) Hepatitis B — a bad disease that hurts the liver (3 shots)		
2 Months	 ☐ Hepatitis B *** ☐ DTaP #1 Diphtheria, Tetanus, and Pertussis ☐ Hib #1 Haemophilus influenzae type b ☐ PCV #1 Pneumococcal disease ☐ Polio #1 ☐ Rotavirus #1 	Diphtheria — causes a thick covering in the back of the throat (5 shots) Tetanus Lockjaw — causes tightening of the jaw muscle (4 shots) Pertussis Whooping Cough — causes bad coughing spells (4 shots) Hib Meningitis — an infection of the brain and spinal cord (4 shots)	
4 Months	 ☐ Hepatitis B*** ☐ DTaP #2 ☐ Hib #2 ☐ Rotavirus #2 	PCV Pneumococcal disease — causes blood infection, pneumonia, and infection of the brain (4 shots) Polio — can cause paralysis, can't move arms or legs (4 doses)	
6 Months	 ☐ Hepatitis B*** ☐ DTaP #3 ☐ Hib #3 ☐ Rotavirus #3 	Rotavirus — causes bad diarrhea (3 doses <i>by mouth</i>) Measles — causes rash, cough, runny nose,	
12 Months*	 ☐ Hepatitis A #1 ☐ PCV #4 ☐ Waricella #1 ☐ MMR #1 Measles, Mumps, and Rubella 	eye irritation, and fever (2 shots) Mumps — causes fever, headache, and swollen glands (2 shots) Rubella <i>German Measles</i> — causes rash, mild fever (2 shots)	
15 Months*	□ DTaP #4	Varicella Chickenpox — causes rash, skin blisters,	
18 Months*	☐ Hepatitis A #2 itching, and fever (2 shots)		
Age 4 to 6 Before Kindergarten)	 □ DTaP #5 □ Polio #4 □ Waricella #2 Get these shots if they were missed before: Hep B - Hep A - Hib 	Hepatitis A — causes a bad liver disease (2 shots) MCV Meningococcal disease Meningitis — an infection of the brain and spinal cord (2 shots)	
Age 7 to 10	Time to "catch-up" if behind on shots*	HPV Human Papilloma Virus — can cause cervical cancer	
Age 11 to 12 (Before 7 th Grade)	 MCV #1 Meningococcal (Meningitis) Tdap Tetanus, Diphtheria, Pertussis HPV #1 Human Papilloma Virus – Get these shots if they were missed before: 	and genital warts (3 shots) Flu — a disease that spread to others and can cause fever, headache, sore throat, and chills	
	Hep B — Hep A — Polio series MMR #2 — Pneumococcal series — Varicella	Keep a record of	
Age 13 to 18	If shots not received at ages 11 to 12: □ MCV #2 (at age 16) □ HPV #2 & #3 □ Tdap****	all of your shots!	

^{*} Check with your doctor to see if your child needs any "catch-up" shots.





How to Keep Your Child or Teen Healthy

Preventive Health Guidelines







^{**} Your child may get a total of 4 Hepatitis B shots if your doctor uses both single and combination vaccines.

^{***} Hepatitis B shot is usually given at 2, 4, and 6–18 months (3 shots).

^{****}California requires children entering 7th through 12th grade to have a booster shot of Tdap before starting school.

Keep Your Child or Teen Healthy!

Use this guide to:

- Know when to go to the doctor
- Know what needs to be done at each visit

Remember:

- If your child or teen is a new member, take them to the doctor right away for their first checkup
- Regular checkups help them stay healthy!



Well Care Guidelines for Infants and Young Children*

Tests/Exams /Counseling	When to go to the doctor	
rests/ Exams / Counselling	Birth to 2 years	3 to 10 years
Well Care Visit: Health history, physical exam, height, weight, Body Mass Index (BMI, a measure for healthy weight), healthy eating habits, vision (eye) and hearing** screenings, screenings for growth, development, autism screening, sickle cell screening, risky behaviors, health education, advice on what to expect at your child's age	Newborns 1-2 days after hospital discharge, at 1 month, then at 2, 4, 6, 9, 12, 15, 18, 24 and 30 months	Every Year
☐ Anemia Test	At 9 to 12 months and as recommended by your doctor	
Oral Health*** Look at teeth and gums	Screening at each visit Get a referral to dentist by age 12 months	Screening at each visit
□ Lead Screening	At 12 months and at 2 years	As recommended by your doctor
☐ Blood Pressure	No recommendation	Every year starting at age 3
☐ Urine Test	As recommended by your doctor	
☐ Tuberculosis (TB) Risk Screening	Ask your doctor if your child is at risk, TB test as recommended by your doctor	
Skin Cancer Risk Counseling Ask your doctor if your child is at		child is at high risk

^{*} Your doctor may order these tests more or less often as needed.

Problems

You may also talk with your child's doctor about: (check the ones you want to talk with your doctor about)

Parenting

•	· · · · · · · · · · · · · · · · · · ·	
Abuse and Violence	☐ Exercise	☐ Prenatal Health
Asthma	☐ Family Planning/Birth	(for pregnant wome
Dental Health	Control/Breast Feeding	☐ Safety
Diabetes	☐ Healthy Foods	☐ STDs and HIV
	☐ High Blood Pressure	
Depression	☐ How to Quit Smoking	☐ Weight Concerns
Drug and Alcohol	_ How to gait smoking	Any other concerns

you may have

Well Care Guidelines for Older Children and Teens*

Tests/Exams /Counseling		When to go to the doctor	
		11 to 19 years	
	Well Care Visit: Health history, physical exam, height, weight, Body Mass Index (BMI, a measure for healthy weight), healthy eating habits, vision (eye) and hearing** screenings, screenings for growth, development, risky behaviors, health education, advice on what to expect at your child's age	Every Year	
	Blood Test	Every 5-10 years for all non-pregnant females who have started their periods	
	Urine Test	As your doctor recommends	
	Cholesterol Screening	As your doctor recommends	
	Cervical Cancer Screening (Pap Smear)	Starting at age 21 for all women and then every 3 years	
	Sexually Transmitted Disease (STD) Counseling (including Chlamydia, Human Papilloma Virus****)	Counseling for all sexually active persons and screening if at risk	
	Human Immunodeficiency Virus*** (HIV) Screening	At least once for teens ages 15-19 and as recommended by your doctor	
	Tuberculosis (TB) Risk Screening	Ask your doctor if your child is at high risk. TB test as recommended by your doctor	

^{*}Your doctor may order these tests more or less often as needed.

^{****}Human Papilloma Virus (HPV) can cause cervical cancer and genital warts.







Member Services	1-888-285-7801	1-800-605-2556	1-888-839-9909
	TTY 1-888-757-6034	TTY 1-800-735-2929	TTY 1-866-522-2731
Nurse Advice Line 24/7 for health questions	1-800-224-0336	1-800-605-2556	1-800-249-3619
	TTY 1-800-368-4424	TTY 1-800-735-2929	TTY 1-866-735-2929
Website	www.anthem.com/ca	www.care1st.com	www.lacare.org

^{**}Hearing test using a machine called audiometer. This starts at age 3.

^{***}California law requires children to have a dental checkup by a dentist or dental hygienist by May 31 of their first school year (public school kindergarten or first grade level).

^{**}Hearing test using a machine called audiometer, the test is given every few years.

^{***}Human Immunodeficiency Virus (HIV) can cause acquired immune deficiency syndrome (AIDS).