

## Q: Which members are included in the sample?

A: Adults 18 years and older with a diagnosis of rheumatoid arthritis and who were dispensed at least one ambulatory prescription for a disease-modifying anti-rheumatic drug (DMARD) in 2016.

#### Q: What codes are used?

A: Please reference attached sample codes and Value Set Directory for additional codes

# Q: What documentation is needed in the medical record?

**A:** *None.* This measure requires **claim/encounter data** submission only using the appropriate Value Set Codes.

#### Q: What documentation is needed in the medical record?

- A: Evidence from claim/encounter/pharmacy data
  - A date of service for any outpatient visit or a non-acute inpatient discharge with a diagnosis of rheumatoid arthritis, and a prescription for DMARD in 2016

#### **DMARDs:**

Description	Prescription		
5-Aminosalicylates	<ul> <li>Sulfasalazine</li> </ul>		
Alkylating agents	<ul> <li>Cyclophosphamide</li> </ul>		
Aminoquinolines	<ul> <li>Hydroxychloroquine</li> </ul>		
Anti-rheumatics	<ul><li>Auranofin</li><li>Gold sodium thiomalate</li></ul>	<ul><li>Leflunomide</li><li>Methotrexate</li></ul>	Penicillamine
Immunomodulators	<ul><li>Abatacept</li><li>Adalimumab</li><li>Anakinra</li><li>Certolizumab</li></ul>	<ul><li>Certolizumab pegol</li><li>Etanercept</li><li>Golimumab</li><li>Infliximab</li></ul>	<ul><li>Rituximab</li><li>Tocilizumab</li></ul>

# Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)



# Q: What documentation is needed in the medical record?

Description	Prescription
Immunosuppressive agents	Azathioprine
Janus kinase (JAK) inhibitor	• Tofacitinib
Tetracyclines	Minocycline

# Q: How to improve score for this HEDIS measure?

A:

- ☑ Use of complete and accurate Value Set Codes
- ☑ Timely submission of claims and encounter data
- oxdim Ensure proper documentation in medical record
- ☑ Evidence of a diagnosis of HIV or pregnancy documentation will assist in excluding members from the HEDIS sample.

# ★ Medicare Star Program Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)



### **SAMPLE CODES**

The codes listed below are not inclusive and do not represent a complete list of codes found in the NCQA HEDIS® Value Set. To ensure accurate documentation, please refer to the HEDIS® 2017 Value Set Directory located on the L.A. Care Website at:

http://www.lacare.org/providers/provider-resources/hedis-resources

# **ICD-10 codes**

Refer to Rheumatoid Arthritis Value Set

CPT codes	
· Chifnatient	99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381- 99387, 99391-99397, 99401-99404, 99411, 99412, 99420, 99429, 99455, 99456

HCPCS codes	
Outpatient	G0402, G0438, G0439, G0463, T1015
DMARD	J0129, J0135, J0717, J1438, J1600, J1602, J1745, J3262, J7502, J7515-J7518, J9250, J9260, J9310

#### **Exclusion codes**

Refer to HIV Value Set, HIV Type 2 Value Set, Pregnancy Value Set