



**Osteoporosis Management in Women Who Had a Fracture (OMW)**

***Q: Which members are included in the sample?***

**A:** Women 67-85 years of age who suffered a fracture (7/1/2014 - 6/30/2015), and who had either a bone mineral density (BMD) test or prescription for a drug to treat osteoporosis in the six months after the fracture.

***Q: What codes are used?***

**A:** Please reference attached sample codes; reference **Value Set Directory** for additional codes

***Q: What documentation is needed in the medical record?***

**A:** None. This measure requires **claim/encounter data** submission only using the appropriate Value Set References.

***Q: What type of document is acceptable?***

- A:** Evidence of claims/encounter data
- BMD ( bone mineral density) test
  - Osteoporosis therapy
  - Fracture
  - Visit type

**Note:** Fractures of fingers, toes, face and skull are not included in this measure.

**Osteoporosis Therapies:**

Description	Prescription
Biphosphonates	<ul style="list-style-type: none"> <li>• Alendronate</li> <li>• Alendronate-cholecalciferol</li> <li>• Ibandronate</li> <li>• Risedronate</li> <li>• Zoledronic acid</li> </ul>
Other agents	<ul style="list-style-type: none"> <li>• Calcitonin</li> <li>• Denosumab</li> <li>• Raloxifene</li> <li>• Teriparatide</li> </ul>



**Osteoporosis Management in Women Who Had a Fracture (OMW)**

**Q: How to improve score for this HEDIS measure?**

**A:**

- ☑ Use of complete and accurate Value Set Codes.
- ☑ Timely submission of claims and encounter data
- ☑ Ensure proper documentation in medical record
- ☑ **Required Exclusions:**
  - members who had a BMD test during 24 months prior to IESD\*
  - members who had osteoporosis therapy during 12 months prior to IESD\*
  - member who received a dispensed prescription or had an active prescription to treat osteoporosis during 12 months prior to IESD\*

\*IESD: Index Episode Start Date [The earliest date of service for any encounter during the Intake Period (7/1/14 – 6/30/15) with a diagnosis of fracture].

**Note:** *Fractures of finger, toe, face and skull are not included.*



**Osteoporosis Management in Women Who Had a Fracture (OMW)**

**SAMPLE CODES**

**ICD- 10 codes**

M48.40XA, M84.319A, M84.350A

**CPT codes**

76977, 77078, 77080-77082

**HCPCS codes**

G0130