



L.A. Care
HEALTH PLAN

For All of L.A.

2020 HEDIS Cal MediConnect				
Acronyms	Measures	Rate 2018 HEDIS (CY 2017)	Rate 2019 HEDIS (CY 2018)	Rate 2020 HEDIS (CY 2019)
AAP	Adults Access to Preventive/Ambulatory Health Services (Ages 65 and older)	79.5%	82.4%	88.4%
ABA	Adult BMI Assessment	95.8%	97.1%	98.8%
AMM	Antidepressant Medication Management – Acute Phase	65.7%	64.8%	69.0%
AMM	Antidepressant Medication Management – Continuous Phase	53.9%	57.2%	49.8%
ART	Rheumatoid Arthritis Management	72.0%	75.7%	78.3%
BCS	Breast Cancer Screening	60.1%	63.7%	66.1%
COL	Colorectal Cancer Screening	57.7%	61.0%	66.1%
CBP	Controlling High Blood Pressure	69.5%	73.2%	70.7%
CDC	Diabetes Care - Eye Exams	70.4%	75.6%	78.6%
CDC	Diabetes Care – Kidney Disease	96.8%	97.0%	96.9%
CDC	Diabetes Care – Blood Sugar Controlled (<8.0%)	62.5%	62.2%	61.6%
CDC	Diabetes: Blood Pressure Control (<140/90 mm Hg)	69.6%	70.1%	69.1%
DAE	Use of High Risk Medications in the Elderly – at least two drugs (Note lower Rates signify better performance)	12.4%	13.0%	14.0%
DDE	Potentially Harmful Drug-Disease Interactions in the Elderly – Total (Note lower Rates signify better performance)	45.1%	40.5%	40.2%
FMC	Follow-up After Emergency Department Visit for People with Multiple High-Risk Chronic Conditions - 7-day rates	39.4	44.1%	48.1%

NA – Not applicable



L.A. Care
HEALTH PLAN

For All of L.A.

2020 HEDIS Cal MediConnect				
Acronyms	Measures	Rate 2018 HEDIS (CY 2017)	Rate 2019 HEDIS (CY 2018)	Rate 2020 HEDIS (CY 2019)
FUA	Follow-up After Emergency Department Visit for Alcohol and other Drug Abuse or Dependence – 7-day rate	4.2%	6.4%	1.6%
FUH	Follow-Up after Hospitalization for Mental Illness –within 30-days	46.9%	49.0%	59.4%
FUH	Follow-Up after Hospitalization for Mental Illness -within 7-days	28.1%	29.5%	39.4%
FUM	Follow-up After Emergency Department Visit for Mental Illness - 7-day rate	17.5%	31.3%	34.2%
HDO	Use of Opioids at High Dosage (Note lower Rates signify better performance)	NA	NA	4.2%
IET	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment - Engagement	3.3%	4.6%	5.8%
IET	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment – Initiation	38.9%	42.2%	48.1%
MRP	Medication Reconciliation Post-Discharge	26.0%	34.6%	42.3%
PCE	Pharmacotherapy Management of COPD Exacerbation- Bronchodilators	85.1%	83.3%	88.6%
PCE	Pharmacotherapy Management of COPD Exacerbation -Systemic Corticosteroid	61.2%	76.0%	63.7%
PSA	Non-Recommended PSA-Based Screening in Older Men (Note lower Rates signify better performance) (Note: Lower Rates indicates better performance)	30.3%	28.6%	34.4%
OMW	Osteoporosis Management in Women Who Had a Fracture	27.3%	29.4%	32.3%
SPC	Statin Therapy for Patients with Cardiovascular Disease - Therapy	74.8%	77.0%	79.0%
SPC	Statin Therapy for Patients with Cardiovascular Disease – Adherence	76.4%	72.7%	74.5%

NA – Not applicable



L.A. Care
HEALTH PLAN

For All of L.A.

2020 HEDIS Cal MediConnect				
Acronyms	Measures	Rate 2018 HEDIS (CY 2017)	Rate 2019 HEDIS (CY 2018)	Rate 2020 HEDIS (CY 2019)
SPD	Statin Therapy for Patients with Diabetes - Therapy	72.4%	74.1%	78.5%
SPD	Statin Therapy for Patients with Diabetes – Adherence	75.3%	72.1%	74.3%
TRC	Transitions of Care - Receipt of Discharge information:	0.5%	0.7%	0.2%
TRC	Transitions of Care - Patient engagement after inpatient discharge	65.2%	76.9%	76.4%
TRC	Transitions of Care - Notification of Inpatient Admission	3.7%	7.1%	11.2%
TRC	Transitions of Care - Medication reconciliation post discharge	25.8%	34.3%	40.6%
UOP	Use of Opioids from Multiple Providers - Multiple Prescribers and Multiple Pharmacies Rates (Note: Lower Rates indicates better performance)	NA	2.2%	1.5%

NA – Not applicable