

HEDIS Trends in Medi-Cal (HEDIS MY 2020-MY 2022) **HEDIS 2021 HEDIS 2022 HEDIS 2023 HEDIS Measures** Acronym (MY 2020) (MY 2021) (MY 2022) Avoidance of Antibiotic AAB Treatment in Adults with 43.13% 46.43% 49.60% Acute Bronchitis Adults' Access to Preventive/Ambulatory AAP 63.51% 63.41% 60.21% Health Services Follow-Up for Children ADD Prescribed ADHD 60.62% 53.67% 55.55% Medication-initiation Follow-Up for Children Prescribed ADHD ADD 70.40% 61.81% 60.63% Medication -Continuation and Maintenance Antidepressant Medication 63.97% AMM 59.89% 65.76% Management - Acute Phase Antidepressant Medication Management- continuation AMM 40.80% 45.16% 46.99% phase AMR Asthma Medication Ratio 62.27% 66.76% 69.84% Metabolic Monitoring for Children and Adolescents on APM Antipsychotics (Blood 43.25% 51.71% 45.16% Glucose and Cholesterol

N/A – Not applicable

Testing - Total)



HEDIS Trends in Medi-Cal (HEDIS MY 2020-MY 2022) **HEDIS 2021 HEDIS 2022 HEDIS 2023 HEDIS Measures** Acronym (MY 2020) (MY 2021) (MY 2022) Breast Cancer Screening -BCS 57.75% 54.68% 55.10% Total Blood Pressure Control BPD (<140/90) for Patients With 59.12% 58.15% 64.23% Diabetes Controlling High Blood CBP 61.31% 61.48% 62.76% Pressure - Total CCS Cervical Cancer Screening 60.97% 54.43% 61.73% Chlamydia Screening in CHL 65.56% 68.12% 67.71% Women-Total Childhood Immunization CIS-10 33.58% 35.52% 35.77% Status - Combo 10 Risk of Continued Opioid COU Use—31 day rate 3.13% 2.75% 2.90%

N/A - Not applicable

(lower rate is better)



HEDIS Trends in Medi-Cal (HEDIS MY 2020-MY 2022) **HEDIS 2021 HEDIS 2022 HEDIS 2023 HEDIS Measures** Acronym (MY 2020) (MY 2022) (MY 2021) Appropriate Testing for CWP 22.91% 26.33% 30.41% Children with Pharyngitis Developmental Screening in DEV 16.21% 22.06% 25.44% the First Three Years of Life Diabetes: Eye Exam for EED 46.47% 50.37% 57.18% Patients With Diabetes Follow-up After Emergency Department Visit for Alcohol FUA 2.92% 4.17% 15.92% and other Drug Abuse or Dependence (7-day Rates) Follow-up After Emergency Department Visit for Alcohol FUA 6.17% 26.15% 4.84% and other Drug Abuse or Dependence (30-day Rates) Follow-Up After FUH Hospitalization for Mental 20.11% 19.25% 17.31% Illness (in 7 days)

26.77%

24.61%

24.36%

FUM

Follow-up After Emergency

Department Visit for Mental

Illness (7-day Rates)



HEDIS Trends in Medi-Cal (HEDIS MY 2020-MY 2022) **HEDIS 2021 HEDIS 2022 HEDIS 2023 HEDIS Measures** Acronym (MY 2020) (MY 2021) (MY 2022) Follow-up After Emergency FUM Department Visit for Mental 39.16% 36.47% 35.70% Illness (30-day Rates) Diabetes: Hemoglobin A1c Control for Patients With HBD 46.72% 50.37% 54.5% Diabetes — HbA1c Control <8% Use of Opioids at High HDO Dosage 3.28% 2.07% 3.75% (lower rate is better) Initiation and Engagement of Alcohol and Other Drug IET 5.30% 6.03% 6.13% Dependence Treatment -Engagement Total Immunizations for IMA-2 43.55% 40.88% 39.17% Adolescents – Combo 2 Use of Imaging Studies for LBP 79.66% 77.64% 76.26% Low Back Pain LSC 54.50% Lead Screening in Children 61.08% 48.91%

N/A – Not applicable



HEDIS Trends in Medi-Cal (HEDIS MY 2020-MY 2022) **HEDIS 2021 HEDIS 2022 HEDIS 2023 HEDIS Measures** Acronym (MY 2020) (MY 2021) (MY 2022) Pharmacotherapy Management of COPD PCE 67.55% 72.81% 75.21% Exacerbation Systemic Corticosteroid Pharmacotherapy PCE Management of COPD 85.64% 88.30% 89.05% Exacerbation Bronchodilator Prenatal and Postpartum Care PPC-PST 80.00% 76.16% 80.74% - Postpartum Care Prenatal and Postpartum Care PPC-Pre 88.08% 90.16% 91.11% - Timeliness of Prenatal Care Adherence to Antipsychotic Medications for Individuals 63.83% SAA 65.21% 70.47% with Schizophrenia Diabetes Monitoring for People with Diabetes and SMD 65.75% 70.61% 69.27% Schizophrenia Statin Therapy for Patients SPC with Cardiovascular Disease -78.84% 79.64% 79.22% Therapy

N/A - Not applicable



HEDIS Trends in Medi-Cal (HEDIS MY 2020-MY 2022) **HEDIS 2021 HEDIS 2022 HEDIS 2023 HEDIS Measures** Acronym (MY 2020) (MY 2021) (MY 2022) Statin Therapy for Patients with Cardiovascular Disease SPC 74.87% 70.85% 76.44% – Adherence Statin Therapy for Patients SPD 70.99% 68.70% 70.35% with Diabetes - Therapy Statin Therapy for Patients SPD 66.11% 72.49% 69.47% with Diabetes – Adherence Diabetes Screening for People with Schizophrenia or SSD Bipolar Disorder who are 71.98% 78.90% 80.83% Using Antipsychotic Medications Use of Opioids from Multiple Providers - Multiple UOP Prescribers and Multiple 2.93% 2.84% 2.08% Pharmacies Rates (lower rate is better) Appropriate Treatment for URI Children with Upper 86.86% 88.78% 86.74% **Respiratory Infections**



HEDIS Trends in Medi-Cal (HEDIS MY 2020-MY 2022) **HEDIS 2021 HEDIS 2022 HEDIS 2023 HEDIS Measures** Acronym (MY 2020) (MY 2021) (MY 2022) Well-Child Visits in the First W-30 36.62% 33.36% 45.63% 30 months of Life - Well-Child Visits in the First 15 Months Well-Child Visits in the First W-30 65.49% 59.47% 62.64% 30 months of Life - Well-Child Visits for Age 15 Months - 30 Months Weight Assessment & Counseling for Nutrition& Physical for Children and WCC-BMI 82.64% 90.16% 88.21% Adolescents (BMI) Weight Assessment & Counseling for Nutrition& Physical for Children and WCC--N 77.78% 85.90% 80.79% Adolescents (Nutrition) Weight Assessment & Counseling for Nutrition& Physical for Children and WCC-PA 76.39% 78.17% 84.26% Adolescents (Physical Activity)

N/A - Not applicable



HEDIS Trends in Medi-Cal (HEDIS MY 2020-MY 2022)				
Acronym	HEDIS Measures	HEDIS 2021 (MY 2020)	HEDIS 2022 (MY 2021)	HEDIS 2023 (MY 2022)
WCV	Child and Adolescent Well- Care Visits - Total	N/A	N/A	46.64%

N/A – Not applicable