

	HEDIS Trends in Cal MediConnect (HEDIS MY 2019-MY 2021)						
Acronyms	Measures	HEDIS 2020 (MY 2019)	HEDIS 2021 (MY 2020)	HEDIS 2022 (MY 2021)			
AAP	Adults Access to Preventive/Ambulatory Health Services (Ages 65 and older)	88.42%	86.56%	87.85%			
AMM	Antidepressant Medication Management – Acute Phase	68.96%	73.04%	75.65%			
AMM	Antidepressant Medication Management – Continuous Phase	49.81%	53.75%	57.86%			
BCS	Breast Cancer Screening	66.09%	61.95%	62.97%			
COL	Colorectal Cancer Screening	66.07%	55.53%	60.69%			
CBP	Controlling High Blood Pressure	70.73%	59.12%	61.81%			
CDC	Diabetes Care - Eye Exams	78.61%	71.68%	68.83%			
CDC	Diabetes Care – Kidney Disease	96.91%	95.66%	95.51%			
CDC	Diabetes Care – Blood Sugar Controlled (<8.0%)	61.60%	60.71%	63.84%			
CDC	Diabetes: Blood Pressure Control (<140/90 mm Hg)	69.07%	58.67%	64.09%			
DAE	Use of High Risk Medications in the Elderly – at least two drugs – Total (lower rate is better)	13.99%	16.25%	16.25%			
DDE	Potentially Harmful Drug-Disease Interactions in the Elderly – Total (lower rate is better)	40.20%	33.87%	34.68%			
FMC	Follow-up After Emergency Department Visit for People with Multiple High-Risk Chronic Conditions - 7-day rates	48.11%	48.80%	52.41%			
FUA	Follow-up After Emergency Department Visit for Alcohol and other Drug Abuse or Dependence – 7-day rate	1.56%	8.57%	9.38%			
FUH	Follow-Up after Hospitalization for Mental Illness –within 30-days	59.39%	50.80%	63.43%			

NA – Not applicable



HEDIS Trends in Cal MediConnect (HEDIS MY 2019-MY 2021)						
Acronyms	Measures	HEDIS 2020 (MY 2019)	HEDIS 2021 (MY 2020)	HEDIS 2022 (MY 2021)		
FUH	Follow-Up after Hospitalization for Mental Illness -within 7-days	39.39%	36.90%	36.57%		
FUM	Follow-up After Emergency Department Visit for Mental Illness - 7-day rate	34.15%	35.48%	41.33%		
HDO	Use of Opioids at High Dosage (Note lower Rates signify better performance)	4.19%	3.01%	3.14%		
IET	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment - Engagement	5.84%	9.57%	6.68%		
IET	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment – Initiation	48.05%	65.68%	55.26%		
PCE	Pharmacotherapy Management of COPD Exacerbation- Bronchodilators	88.56%	78.40%	92.14%		
PCE	Pharmacotherapy Management of COPD Exacerbation -Systemic Corticosteroid	63.68%	56.79%	71.43%		
PSA	Non-Recommended PSA-Based Screening in Older Men (lower rates is better)	34.40%	28.56%	34.33%		
OMW	Osteoporosis Management in Women Who Had a Fracture	32.31%	20.00%	39.34%		
OSW	Osteoporosis Screening in Older Women	23.53%	34.71%	37.42%		
SPC	Statin Therapy for Patients with Cardiovascular Disease - Therapy	79.03%	83.30%	80.28%		
SPC	Statin Therapy for Patients with Cardiovascular Disease – Adherence	74.45%	76.55%	76.29%		
SPD	Statin Therapy for Patients with Diabetes - Therapy	78.48%	78.85%	82.10%		
SPD	Statin Therapy for Patients with Diabetes – Adherence	74.27%	77.20%	74.25%		
TRC	Transitions of Care - Receipt of Discharge information:	0.24%	4.38%	3.89%		



HEDIS Trends in Cal MediConnect (HEDIS MY 2019-MY 2021)						
Acronyms	Measures	HEDIS 2020 (MY 2019)	HEDIS 2021 (MY 2020)	HEDIS 2022 (MY 2021)		
TRC	Transitions of Care - Patient engagement after inpatient discharge	76.42%	75.91%	81.27%		
TRC	Transitions of Care - Notification of Inpatient Admission	11.19%	7.79%	5.11%		
TRC	Transitions of Care - Medication reconciliation post discharge	40.63%	50.85%	39.42%		
UOP	Use of Opioids from Multiple Providers - Multiple Prescribers and Multiple Pharmacies Rates (lower rates is better)	1.53%	1.19%	088%		