

HEDIS Trends in Cal MediConnect (HEDIS MY 2020-MY 2022)							
Acronyms	Measures	HEDIS 2021 (MY 2020)	HEDIS 2022 (MY 2021)	HEDIS 2023 (MY 2022)			
AAB	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Total	30.44%	46.60%	38.93%			
AAP	Adults Access to Preventive/Ambulatory Health Services (Ages 65 and older)	86.78%	87.85%	88.38%			
AMM	Antidepressant Medication Management – Acute Phase	73.04%	75.65%	77.66%			
AMM	Antidepressant Medication Management – Continuous Phase	53.75%	57.86%	54.71%			
BCS	Breast Cancer Screening	61.95%	62.97%	68.32%			
BPD	Blood Pressure Control (<140/90) for Patients With Diabetes	58.67%	64.09%	73.96%			
СВР	Controlling High Blood Pressure	59.12%	61.81%	70.92%			
COL	Colorectal Cancer Screening	55.53%	60.69%	64.23%			
DDE	Potentially Harmful Drug-Disease Interactions in the Elderly – Total (lower rate is better)	33.87%	34.68%	34.13%			
EED	Eye Exam for Patients With Diabetes	71.68%	68.83%	78.91%			
FUA	Follow-up After Emergency Department Visit for Alcohol and other Drug Abuse or Dependence – 7-day rate	8.57%	9.38%	26.76%			
FUH	Follow-Up after Hospitalization for Mental Illness –within 30-days	50.80%	63.43%	58.33%			
FUH	Follow-Up after Hospitalization for Mental Illness -within 7-days	36.90%	36.57%	34.62%			
FUM	Follow-up After Emergency Department Visit for Mental Illness – 30-day rate	54.84%	52.00%	43.75%			
FUM	Follow-up After Emergency Department Visit for Mental Illness - 7-day rate	35.48%	41.33%	31.25%			

NA – Not applicable



HEDIS Trends in Cal MediConnect (HEDIS MY 2020-MY 2022)							
Acronyms	Measures	HEDIS 2021 (MY 2020)	HEDIS 2022 (MY 2021)	HEDIS 2023 (MY 2022)			
HBD	Hemoglobin A1c Control for Patients With Diabetes — HbA1c Control (<8%)	60.71%	63.84%	66.15%			
HBD	Comprehensive Diabetes Care - Poor HbA1c Control >9% (lower rates is better)	28.57%	24.94%	23.44%			
HDO	Use of Opioids at High Dosage (lower rates is better)	3.01%	3.14%	3.24%			
IET	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment - Engagement	9.57%	6.68%	8.49%			
IET	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment – Initiation	65.69%	55.26%	50.84%			
KED	Kidney Health Evaluation for Patients With Diabetes	N/A	N/A	64.26%			
OMW	Osteoporosis Management in Women Who Had a Fracture	20.00%	39.34%	56.25%			
OSW	Osteoporosis Screening in Older Women	34.71%	37.42%	44.41%			
PCE	Pharmacotherapy Management of COPD Exacerbation- Bronchodilators	78.40%	92.14%	89.60%			
PCE	Pharmacotherapy Management of COPD Exacerbation -Systemic Corticosteroid	56.79%	71.43%	79.20%			
PSA	Non-Recommended PSA-Based Screening in Older Men (lower rates is better)	28.56%	34.33%	36.40%			
SMD	Diabetes Monitoring for People With Diabetes and Schizophrenia	72.41%	78.10%	71.88%			
SPC	Statin Therapy for Patients with Cardiovascular Disease - Therapy	83.30%	80.28%	82.55%			
SPC	Statin Therapy for Patients with Cardiovascular Disease – Adherence	76.55%	76.29%	75.43%			
SPD	Statin Therapy for Patients with Diabetes - Therapy	78.85%	82.10%	82.13%			



HEDIS Trends in Cal MediConnect (HEDIS MY 2020-MY 2022)						
Acronyms	Measures	HEDIS 2021 (MY 2020)	HEDIS 2022 (MY 2021)	HEDIS 2023 (MY 2022)		
SPD	Statin Therapy for Patients with Diabetes – Adherence	77.20%	74.25%	74.75%		
SSD	Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications	72.13%	74.95%	78.23%		
TRC	Transitions of Care - Receipt of Discharge information:	4.38%	3.89%	6.81%		
TRC	Transitions of Care - Patient engagement after inpatient discharge	75.91%	81.27%	69.34%		
TRC	Transitions of Care - Notification of Inpatient Admission	7.79%	5.11%	10.71%		
TRC	Transitions of Care - Medication reconciliation post discharge	50.85%	39.42%	42.34%		
UOP	Use of Opioids from Multiple Providers - Multiple Prescribers and Multiple Pharmacies Rates (lower rates is better)	1.19%	0.88%	0.65%		